

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name: BLUE STAR CONCENTRATE

Product code: MP001

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name: Fleetfield Chemical Co. Ltd.

Unit 1 Norfolk Bridge Court

Warren Street

Sheffield

S4 7WT

Tel: 0114 2738999

Fax: 0114 2738666

Email: fleetfield@gmail.com

1.4. Emergency telephone number

Emergency tel: 0114 2738999

(office hours only)

Section 2: Hazards identification**2.1. Classification of the substance or mixture**

Classification under CLP: Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Skin Corr. 1B: H314; -: EUH208

Most important adverse effects: Contains d-limonene. May produce an allergic reaction. Causes severe skin burns and eye damage. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains d-limonene. May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 2



Signal words: Danger

Precautionary statements: P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/first aid.

P501: Dispose of contents/container to a hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHOXYLATED ALCOHOLS C9/11

EINECS	CAS	PBT / WEL	CLP Classification	Percent
605-233-7	160875-66-1	-	Acute Tox. 4: H302; Eye Dam. 1: H318	10-30%

QUATERNARY AMMONIUM COMPOUNDS

264-151-6	63449-41-2	-	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400	1-5%
-----------	------------	---	--	------

QUATERNIZED FATTY AMINE ETHOXYLATE

614-875-7	68989-03-7	-	Eye Dam. 1: H318; Aquatic Chronic 2: H411	1-5%
-----------	------------	---	---	------

(2-METHOXYMETHYLETHOXY)PROPANOL - REACH registered number(s): 01-2119450011-60

252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	1-5%
-----------	------------	--	---	------

[cont...]

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 3

D-LIMONENE

227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
-----------	-----------	---	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur.

Eye contact: There may be pain and redness. Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

[cont...]

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

(2-METHOXYMETHYLETHOXY)PROPANOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	50ppm(sk)	-	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

[cont...]

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Blue

Odour: Pleasant

Evaporation rate: Slow

Oxidising: Not applicable.

Solubility in water: Soluble

Viscosity: Viscous

Boiling point/range°C: 100

Melting point/range°C: 0

Flammability limits %: lower: Not applicable.

upper: Not applicable.

Flash point°C: Not applicable.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable.

Vapour pressure: No data available.

Relative density: 1.015

pH: 12.0

VOC g/l: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

[cont...]

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 6

Hazardous ingredients:

ETHOXYLATED ALCOHOLS C9/11

ORAL	RAT	LD50	500	mg/kg
------	-----	------	-----	-------

QUATERNARY AMMONIUM COMPOUNDS

DERMAL	RAT	LD50	1560	mg/kg
ORAL	RAT	LD50	795	mg/kg

QUATERNIZED FATTY AMINE ETHOXYLATE

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

(2-METHOXYMETHYLETHOXY)PROPANOL

DERMAL	RBT	LD50	9150	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

D-LIMONENE

ORL	MUS	LD50	5600	mg/kg
ORL	RAT	LD50	4400	mg/kg
SCU	MUS	LD50	3170	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur.

Eye contact: There may be pain and redness. Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

[cont...]

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 7

ETHOXYLATED ALCOHOLS C9/11

Daphnia magna	48H EC50	>10-100	mg/l
Scenedesmus Subspicatus	72H ErC50	>10-100	mg/l

QUATERNARY AMMONIUM COMPOUNDS

DAPHNIA	48H EC50	0.03	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	0.06	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1.7	mg/l

QUATERNIZED FATTY AMINE ETHOXYLATE

ALGAE	48H EC50	1-10	mg/l
Daphnia magna	48H EC50	10-100	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	28	mg/l

(2-METHOXYMETHYLETHOXY)PROPANOL

DAPHNIA	48H EC50	1919	mg/l
FISH	96H LC50	>1000	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	>969	mg/l

D-LIMONENE

Daphnia magna	48H EC50	0.36	mg/l
FISH	96H LC50	0.72	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Very toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET

BLUE STAR CONCENTRATE

Page: 8

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Product is not classified as hazardous for transport by Road under ADR 2015 Provision 2.2.8.1.9.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.